STAR SWEATER BOOK No. 92

PRICE 10 CENTS

Sweaters of NYLON or WOOL

The basic cardigan

Pictured on the cover

Sizes 12 - 14 - 16

Materials Required: AMERICAN THREAD COMPANY "DAWN" BRAEBURN SPORT YARN
or
"DAWN" SOCK & SWEATER YARN
or
"DAWN" or "CLOVER LEAF" NYLON
Size 12—10 ozs. Scarlet or color desired
Size 14—11 ozs.
Size 16—12 ozs. and
"STAR" RAYON, Article 300, 3 skeins each Yellow and Lt. Hunter Green for trim
1 pr. each knitting needles No. 1 and No. 2

Measurements: Sizes	**12**	**14**	**16**
Width across back at underarm	**16½"**	**17½"**	**18½"**
Width across each front at underarm	**8½"**	**9"**	**9½"**
Side Seams	**15"**	**15¼"**	**15½"**
Sleeve Seams	**17"**	**17½"**	**18"**

8 Buttons

Gauge: 8 sts = 1 inch.

Directions are given for size 12. Sizes 14 and 16 are given in brackets.

BACK: On No. 1 needles cast on 132 (140, 148) sts and work in ribbing of K 2, P 2 for 2 inches. Change to No. 2 needles and work in stockinette st (K 1 row, P 1 row) until back measures 15 (15¼, 15½) inches from the beginning.
Next 2 Rows—Bind off 7 (8, 9) sts at the beginning of each row, then decrease 1 st on each side every other row until 108 (112, 116) sts remain on needle. Work even until armhole measures 7½ (7¾, 8) inches from 1st decreasing point.
Next 4 Rows—Bind off 13 sts at the beginning of each row.
Next 2 Rows—Bind off 12 (13, 14) sts at the beginning of each row, bind off remaining 32 (34, 36) sts for back of neck.

LEFT FRONT: On No. 1 needles cast on 70 (74, 78) sts and work as follows: K 7, P 8, K 1, work in ribbing of P 2, K 2 over remaining 54 (58, 62) sts.
2nd Row—Work in ribbing over next 54 (58, 62) sts, P 1, Y O, K 2 tog, K 4, Y O, K 2 tog, P 1, K 6.
3rd Row—Same as 1st row.
4th Row—Work in ribbing over next 54 (58, 62) sts, P 1, K 2 tog, Y O, K 4, K 2 tog, Y O, P 1, K 6.
Continue in the above manner until front measures 2 inches from the beginning ending at side edge.
Next Row—Change to No. 2 needles, K across 54 (58, 62) sts, work in pattern over next 10 sts, K 6 sts.
Next Row—K 7, P 8, K 1, P across remaining sts. Continue in the above manner working garter st over 6 sts at front edge, pattern over next 10 sts and stockinette st on remaining sts for entire front. Work even until front measures same as back to underarm ending on wrong side (armhole edge).
Next Row—Bind off 7 (8, 9) sts at beginning of row, then decrease 1 st at armhole edge every other row until 58 (60, 62) sts remain on needle. Work even until armhole measures 5¼ (5½, 5¾) inches from 1st decreasing point ending at neck edge.
Next Row—Bind off 12 (13, 14) sts at neck edge, then decrease 1 st at neck edge every other row until 38 (39, 40) sts remain. Work even until armhole measures same as back armhole. Bind off shoulder same as back shoulder.

RIGHT FRONT: Work same as left front, reversing the shaping, starting the ribbing with P 2, K 2, working the first 6 sts at front edge in garter st and next 10 sts in pattern, working buttonholes 2 sts from front edge.
BUTTONHOLES: K 2, yarn over needle twice, K 2 tog, K 2. On the following row K the yarn over st. Work first buttonhole in the 7th row from beginning, then space buttonholes about 2¼ inches apart (8 buttonholes).
SLEEVES: On No. 1 needles cast on 76 (80, 84) sts and work in ribbing for 2 inches increasing 12 sts evenly spaced on last row of ribbing, 88 (92, 96) sts. Change to No. 2 needles and work in stockinette st, increasing 1 st on each side every 2 inches until there are 98 (102, 106) sts on needle. Work even until sleeve measures 17 (17½, 18) inches from the beginning or length desired.
Next 2 Rows—Bind off 7 (8, 9) sts at the beginning of each row, then decrease 1 st on each side every other row until 24 sts remain, bind off.
Block each section. Sew seams and sew sleeves in position.
NECK BAND: On No. 1 needles pick up 128 (132, 136) sts around neck and work in ribbing of K 2, P 2 for ¾ inch, bind off.
TRIM: Using 8 strands of Green Rayon, and starting at lower edge of front, work through the 2 rows of eyelets using an overcast st. With Yellow, work back in same manner having the sts cross at center, or trim as illustrated.

The basic slipon

Pictured on the cover

Sizes 12 - 14 - 16

Materials Required: AMERICAN THREAD COMPANY "DAWN" BRAEBURN SPORT YARN
or
"DAWN" SOCK & SWEATER YARN
or
"DAWN" or "CLOVER LEAF" NYLON
Size 12—8 ozs. Scarlet or color desired
Size 14—9 ozs.
Size 16—10 ozs. and
"STAR" RAYON, Article 300, 4 skeins each of Yellow and Lt. Hunter Green for trim
1 pr. each knitting needles No. 1 and No. 2
1 Button

Measurements: Sizes	**12**	**14**	**16**
Width across back and front at underarm	**16"**	**17"**	**18"**
Side Seam	**12½"**	**13"**	**13½"**
Sleeve Seam	**5"**	**5"**	**5"**

Gauge: 8 sts = 1 inch.

Directions are given for size 12. Sizes 14 and 16 are given in brackets.

BACK: On No. 1 needles cast on 108 (116, 124) sts and work in ribbing of K 2, P 2 for 3 inches, increasing 12 sts evenly spaced on last row of ribbing. Change to No. 2 needles and work in stockinette st (K 1 row, P 1 row) increasing 1 st on each side every 12th row 4 times, 128 (136, 144) sts. Work even until back measures 12½ (13, 13½) inches from the beginning.
Next 2 Rows—Bind off 7 (8, 9) sts at the beginning of each row, then decrease 1 st on each side every other row until 104 (108, 112) sts remain on needle. Work even until armhole measures 5¼ (5¾, 6¼) inches from 1st decreasing point, ending with a P row. Divide sts for back opening, K across 52 (54, 56) sts, tie in another ball of

Continued on page 10

AMERICAN THREAD COMPANY **260 W. Broadway, New York 13, N. Y.**

Copyright 1952

Printed in U.S.A.

The striped slipon

Pictured on page 4

Sizes 12 - 14

Materials Required: AMERICAN THREAD COMPANY "DAWN" or "CLOVER LEAF" NYLON
or
"DAWN" BRAEBURN SPORT YARN
Size 12—5 ozs. White or color desired
Size 14—6 ozs.
and
1 oz. each of Scarlet and Medium Blue for all sizes
1 pr. knitting needles No. 3
Steel crochet hook No. 3
6 Buttons
Gauge: 7 sts = 1 inch.

Note: Entire slipon is worked vertically. Directions are given for size 12. Size 14 is given in brackets.

Pattern: 1st and 2nd Rows—With White, K across each row.
3rd Row—With White K 1, * Y O needle twice, K 1, repeat from * across row.
4th Row—K 1, * drop the 2 yarn over from needle without knitting them, K 1, repeat from * across row, drop White.
5th and 6th Rows—Attach Scarlet and K across each row, cut Scarlet.
7th and 8th Rows—Pick up White and K across each row.
9th and 10th Rows—Same as 3rd and 4th rows, drop White.
11th and 12th Rows—Attach Blue and K across each row, cut Blue.
These 12 rows are repeated for pattern.

BACK: Starting at sleeve with White cast on 41 (45) sts and work even in pattern increasing 1 st at the end of every other row for armhole edge 7 (7) times 48 (52) sts. Work 2 (4) rows even in pattern.
Next Row—Cast on 2 sts at end of row for shoulder edge.
Next Row—Cast on 13 sts at end of row at armhole edge, then cast on 13 sts every other row at armhole edge 4 times. Then cast on 7 (8) sts at armhole edge every other row twice, 129 (135) sts. This completes underarm shaping. Work even in pattern until there are 32 (34) rows from the beginning.
Next Row—Cast on 2 sts at shoulder edge, then keeping pattern even, cast on 2 sts at shoulder edge every 16th (18th) row twice, ending at neck edge, 135 (141) sts. This completes shoulder shaping. Work 36 (36) rows even in pattern for back of neck.
Next Row—Bind off 2 sts at neck edge. Then keeping pattern even and colors to correspond to opposite side, bind off 2 sts at shoulder edge every 16th (18th) row twice, 129 (135) sts. Work 2 rows even.
Next Row—Bind off 7 (8) sts at beginning of row at armhole edge. Work 1 row even.
Next Row—Bind off 7 (8) sts at armhole edge. Then bind off 13 sts at armhole edge every other row 5 times, 50 (54) sts.
Next Row—Bind off 2 sts at the beginning of row at shoulder edge. Work 2 (4) rows even. Then decrease 1 st at armhole edge every other row 7 (7) times, ending with same color as the beginning of opposite sleeve, 41 (45) sts. Bind off.

FRONT: Work same as back until 1st shoulder has been completed ending at neck edge.
Next Row—Bind off 16 (20) sts at neck edge, then bind off 2 sts at neck edge every other row 4 times. Work even in pattern for 14 (14) rows, ending at lower edge.
Next Row—Following pattern, K across 77 (83) sts, bind off remaining 34 (34) sts for center opening.
Next Row—With same color cast on 34 (34) sts and with same needle K across the 77 (83) sts. Keeping the pattern even and colors to correspond, work 14 (14) rows even. Then cast on 2 sts at neck edge every other row 4 times. Then cast on 16 (20) sts. Complete shoulder, underarm and sleeve to correspond. Block each section.

FINISHING: Sew side and shoulder seams matching the stripes. With White work 2 rows of s c across lower edge and around each sleeve.

NECK BAND: With right side of work toward you, attach White at neck edge and work 93 s c around neck edge, ch 1, turn.
Next Row—1 s c in each s c, ch 1, turn. Work 3 rows even, cut yarn.
Attach White at lower edge of right front opening, work 1 s c in same space, 1 s c in each of the next 33 sts, 1 s c over the end st of each of the next 5 rows, ch 1, turn. Work 1 row even.
Next Row—1 s c in next s c, * ch 2, skip 2 s c, 1 s c in each of the next 5 s c, repeat from * 4 times, ch 2, skip 2 s c, 1 s c in last s c (6 buttonholes), ch 1, turn. Work 1 s c in each s c and 1 s c in each st of ch of buttonholes, cut yarn. Work left side in same manner omitting the buttonholes.

COLLAR: With wrong side of work toward you, attach White in first st at neck edge and working around neck edge, work 1 s c in each s c, ch 1, turn.
Next Row—Increase in every 3rd st. Work 1 row even.
Next Row—Increase 14 sts evenly spaced. Work 7 rows even, cut yarn.
Sew buttons in position.

KNITTING ABBREVIATIONS

K . . . . . Knit
P . . . . . Purl
St . . . . . Stitch
Sts . . . . . Stitches
Sl st . . . . . Slip Stitch
Tog . . . . . Together
Y O . . . . . Yarn Over
P. S. S. O. . . Pass slip stitch over K stitch

CROCHET ABBREVIATIONS

ch . . . . . Chain
st . . . . . Stitch
sts . . . . . Stitches
sl st . . . . . Slip Stitch
s c . . . . . Single Crochet
d c . . . . . Double Crochet
*Asterisk—This sign indicates that the instructions immediately following are to be repeated the given number of times plus the original.
**Are used in the same way.

GAUGE INSTRUCTIONS IMPORTANT

The stitch gauge which appears at the beginning of all instructions for knitting and crocheting is very important to the size and fit of your garment. Before starting your work make a sample swatch of the pattern stitch with the needles or hook and yarn specified. If you get more stitches to the inch than gauge calls for, you are working tightly, therefore change to larger size needles or hook. If you get fewer stitches to the inch you are working loosely, therefore change to smaller size needles or hook. It is very important to check your gauge as you progress, to assure yourself of a perfectly sized garment.

The Striped Slipon

in two versions

Directions on page 3

The Windbreaker and Men's Fair Isle Sweater

Directions on page 6

Men's fair isle slipon

Pictured on page 5

Sizes 38 - 40 - 42

Materials Required: AMERICAN THREAD COMPANY "DAWN" SOCK AND SWEATER YARN
or
"DAWN" BRAEBURN SPORT YARN
or
"DAWN" or "CLOVER LEAF" NYLON
Size 38—7 ozs. Black
Size 40—8 ozs.
Size 42—9 ozs.
1 oz. each Blue, Scarlet, Green and Canary or Buttercup for all sizes.
1 pr. each knitting needles No. 1 and No. 3

Measurements:	**Sizes 38**	**40**	**42**
Width across back or front at underarm	**19"**	**20"**	**21"**
Side Seams	**15"**	**15½"**	**16"**

Gauge: 7 sts = 1 inch.

Directions are given for size 38. Sizes 40 and 42 are given in brackets.

BACK: With Black on No. 1 needles, cast on 136 (144, 152) sts and work in ribbing of K 2, P 2 for 3 (3½, 4) inches. Change to No. 3 needles and work in stockinette st (K 1 row, P 1 row) until back measures 15 (15½, 16) inches from the beginning.

Next 2 Rows—Bind off 10 (10, 10) sts at the beginning of each row, then decrease 1 st on each side every row until 100 (108, 116) sts remain. Work even until armhole measures 9 (9½, 10) inches from 1st decreasing point.

Next 6 Rows—Bind off 10 (11, 12) sts at the beginning of each row. Bind off remaining 40 (42, 44) sts for back of neck.

FRONT: With Black on No. 1 needles cast on 136 (144, 148) sts and work in ribbing for 3 (3½, 4) inches. Change to No. 3 needles and working in stockinette st, attach Scarlet, K 1, * pick up Black (when changing colors always pick up new color from underneath color which is dropped, thus twisting yarn to avoid a hole), K 1, drop Black, pick up Scarlet, K 1, repeat from * across row. Work 25 rows following chart. Then repeat the last 26 rows for remainder of front. Work even until front measures same as back to underarm. Keeping pattern even, shape armhole same as back armhole. Work even in pattern until armhole measures 1½ inches from 1st decreasing point ending on right side.

Continued on page 14

The windbreaker

Pictured on page 5

Sizes 14 - 16 - 18 - 20

Materials Required: AMERICAN THREAD COMPANY "DAWN" KNITTING WORSTED
Size 14—17 ozs. Flame or color desired
Size 16—19 ozs.
Size 18—21 ozs.
Size 20—23 ozs.
1 pr. each knitting needles No. 2 and No. 4
Bone crochet hook No. 1
1 Zipper to fit.

Measurements: Sizes	**14**	**16**	**18**	**20**
Width across back at underarm	**16"**	**17"**	**18"**	**19"**
Width across each front at underarm	**8½"**	**9"**	**9½"**	**10"**
Sleeve Seam	**17½"**	**17½"**	**18"**	**18"**
Side Seam	**11"**	**11"**	**11½"**	**11½"**

Gauge: 6 sts = 1 inch.

Directions are given for size 14. Sizes 16, 18 and 20 are given in brackets.

BACK: On No. 2 needles cast on 96 (100, 104, 108) sts and work in ribbing of K 1, P 1 for 2½ (2½, 3, 3) inches, increasing 11 (15, 19, 23) sts evenly spaced on last row of ribbing, 107 (115, 123, 131) sts. P 1 row. Change to No. 4 needles and work in pattern as follows:

1st Row—* K 3, P 1, repeat from * across row ending with K 3.

2nd and 4th Rows—P across each row.

3rd Row—K 1, * P 1, K 3, repeat from * across row ending with P 1, K 1.

Repeat these 4 rows for pattern.

Work even until back measures 11 (11, 11½, 11½) inches from the beginning.

Next 2 Rows—Bind off 6 (6, 7, 7) sts at the beginning of each row, then decrease 1 st on each side every other row until 87 (93, 97, 103) sts remain on needle. Work even in pattern until armhole measures 7¾ (8, 8, 8¼) inches from 1st decreasing point.

Next 4 Rows—Bind off 7 (7, 8, 8) sts at the beginning of each row.

Next 4 Rows—Bind off 7 (8, 8, 9) sts at the beginning of each row, bind off remaining sts for back of neck.

LEFT FRONT: On No. 2 needles cast on 50 (52, 54, 56) sts and work in ribbing of K 1, P 1 for 2½ (2½, 3, 3) inches, increasing 5 (7, 9, 11) sts on last row of ribbing

Work other half to correspond



55 (59, 63, 67) sts. P 1 row. Change to No. 4 needles and work even in pattern until front measures same as back to underarm.

Next Row—Bind off 6 (6, 7, 7) sts at armhole edge, then decrease 1 st at armhole edge every other row until 44 (47, 50, 53) sts remain. Work even in pattern until armhole measures 5¾ (6, 6, 6¼) inches from 1st decreasing point ending at neck edge.

Next Row—Bind off 10 (10, 11, 11) sts at neck edge, then decrease 1 st at neck edge every other row until 28 (30, 32, 34) sts remain. Work even until armhole measures same as back armhole and bind off shoulder same as back shoulder.

RIGHT FRONT: Work same as left front reversing the shaping and decreasing.

SLEEVES: On No. 2 needles cast on 54 (56, 58, 60) sts, work in ribbing for 2½ (2½, 3, 3) inches, increasing 9 (11, 13, 15) sts on last row of ribbing, 63 (67, 71, 75) sts. P 1 row. Change to No. 4 needles and work in pattern increasing 1 st on each side every 3 inches until there are 73 (77, 81, 85) sts on needle. Work even until sleeve measures 17½ (17½, 18, 18) inches from beginning or length desired.

Next 2 Rows—Bind off 6 (6, 7, 7) sts at beginning of each row, then decrease 1 st on each side every other row until 17 (17, 19, 19) sts remain, bind off.

Block each section. Sew seams and sew sleeves in position.

FINISHING: With right side of work toward you, attach yarn at neck edge at left front and work a row of s c down front, cut yarn. Attach yarn at lower edge of right front and work in same manner, cut yarn.

COLLAR: With No. 2 needles and right side of work toward you, pick up 101 (103, 105, 105) sts around neck and work in ribbing of K 1, P 1 for 3 inches, bind off in ribbing. Sew zipper in position.

The lavender v-neck

Pictured on page 9

Sizes 14 - 16 - 18

Materials Required: AMERICAN THREAD COMPANY "DAWN" or "CLOVER LEAF" NYLON
or
"DAWN" BRAEBURN SPORT YARN
or
"DAWN" SOCK & SWEATER YARN
Size 14—10 oz. Lavender or Violet
Size 16—11 ozs.
Size 18—12 ozs.
1 oz. Black for trim
10 Buttons
1 pr. each knitting needles No. 1 and No. 2
Steel crochet hook No. 7
Gauge: 8 sts = 1 inch.

Measurements: Sizes	**14**	**16**	**18**
Width across back at underarm	**16"**	**17"**	**18"**
Width across each front at underarm	**8½"**	**9"**	**9½"**
Side Seam	**13"**	**13½"**	**14"**
Sleeve Seam	**17"**	**17½"**	**18"**

Directions are given for size 14. Sizes 16 and 18 are given in brackets.

BACK: On No. 1 needles cast on 106 (110, 114) sts and work in ribbing of K 1, P 1 for 4 (4, 4) inches. Change to No. 2 needles and work in stockinette st (K 1 row, P 1 row), increasing 21 (25, 29) sts evenly spaced on first row, 127 (135, 143) sts. Work even until back measures 13 (13½, 14) inches from the beginning ending with a P row.

Next 2 Rows—Bind off 8 (8, 8) sts at the beginning of each row. Then decrease 1 st on each side every other row until 103 (111, 119) sts remain. Work even until armhole measures 7¼ (7½, 7¾) inches from 1st decreasing point ending with a P row.

Next 8 Rows—Bind off 9 (10, 11) sts at the beginning of each row. Bind off remaining 31 (31, 31) sts for back of neck.

POCKET LINING: On a spare No. 2 needle cast on 21 (21, 21) sts and work in stockinette st for 3 inches ending with a P row, leave sts on needle to be used later. Work another section in same manner for right front.

LEFT FRONT: On No. 1 needles cast on 71 (75, 79) sts and work as follows:

1st Row—Work in ribbing over the next 50 (54, 58) sts, K 10, sl next st as if to P, K 10.

2nd Row—P across 21 (21, 21) sts for front edge band, work in ribbing across remaining sts. Repeat last 2 rows for 4 inches ending with 2nd row.

Next Row—Change to No. 2 needles, K and increase 15 sts evenly spaced over next 50 (54, 58) sts, K 10, sl next st as if to P, K 10, 86 (90, 94) sts. Work in stockinette st, slipping the center st of front edge band every K row for remainder of front. Work even until front measures same as back to underarm ending with a P row.

Next Row—Bind off 8 (8, 8) sts at the beginning of row for underarm, then decrease 1 st at armhole edge every other row until 70 (74, 78) sts remain, ending with a P row.

Next Row—K 13 (15, 17) sts, sl next 21 (21, 21) sts on a holder, K across 21 (21, 21) sts from spare needle, work across remaining sts. Work even until armhole measures 5¼ (5½, 5¾) inches from 1st decreasing point ending at neck edge.

Next Row—P across 21 (21, 21) sts and place on a holder, bind off next 5 (5, 5) sts, P across remaining sts. Then bind off 2 sts at neck edge every other row twice, then decrease 1 st at neck edge every other row until 36 (40, 44) sts remain. Work even until armhole measures same as back armhole, bind off shoulder same as back shoulder.

POCKET BAND: Slip the 21 (21, 21) sts from holder, working from armhole side, work 9 rows in stockinette st ending with a K row. K 1 row. Work 9 more rows in stockinette st, bind off.

RIGHT FRONT: Work same as left front reversing the decreasing and shaping.

SLEEVES: On No. 1 needles cast on 66 (70, 74) sts and work in ribbing for 4 (4, 4) inches. Change to No. 2 needles and work in stockinette st, increasing 10 sts evenly spaced on first row, 76 (80, 84) sts. Work even increasing 1 st on each side every 6th row until there are 116 (120, 124) sts. Work even until sleeve measures 17 (17½, 18) inches from the beginning or length desired, ending with a P row.

Next 2 Rows—Bind off 8 sts at the beginning of each row, then decrease 1 st on each side every other row until there are 60 (64, 68) sts. Then decrease 1 st on each side every row until 24 (24, 24) sts remain, bind off.

Block each section. Sew seams. Sew sleeves in position easing in any fullness. Sew pocket lining in position on wrong side. Fold pocket band on the K row and tack in position.

COLLAR: With right side of work toward you, on No. 2 needles slip and K 21 (21, 21) sts from holder of right front, pick up and K 18 (20, 22) sts on right side of neck, pick up and K 31 (31, 31) sts across back of neck, pick up and K 18 (20, 22) sts on left side of neck, slip and K 21

Continued on page 15

Materials Required: AMERICAN THREAD COMPANY

"DAWN" NYLON or NYLON POMPADOUR
or
"CLOVER LEAF" NYLON or NYLON POMPADOUR
or
"DAWN" BRAEBURN SPORT YARN
Size 12—11 ozs. Buttercup or Canary
Size 14—12 ozs.
Size 16—13 ozs.
Steel crochet hook No. 2
6 Buttons
Gauge: 7 d c = 1 inch.

Directions are given for size 12. Sizes 14 and 16 are given in brackets.

Starting at neck edge, ch 161 (for all sizes), 1 d c in 4th st from hook, 1 d c in next st of ch, work a double knot st (knot st: * draw up ¼ inch loop on hook, yarn over hook and pull through, forming a ch st, s c over single loop of st (single knot st), repeat from * once for double knot st, skip next 3 sts of ch, 1 d c in each of next 3 sts of ch, * double knot st, skip next 3 sts of ch, 1 d c in each of next 3 sts of ch, repeat from * across remaining sts of ch (26 knot sts), turn.

2nd Row—Ch 3 (counts as 1 d c), 1 d c in each of next 2 d c, * work a single knot st, s c in in center s c of next double knot st of previous row, work a single knot st, 1 d c in each of next 3 d c, repeat from * across row, working last d c in 3rd st of ch.

3rd Row—Ch 3, decrease in next 2 sts (to decrease: * yarn over hook, insert in next st, pull through and work off 2 loops, repeat from * once, yarn over and pull through all loops at one time), * work a double knot st, skip next double knot st, 1 d c in next d c, 2 d c in next d c, 1 d c in next d c, repeat from * across row ending with double knot st, 1 d c in each of next 2 d c, 2 d c in 3rd st of ch, turn.

4th Row—Ch 3, 1 d c in each of next 3 d c, * single knot st, s c in center s c of next double knot st, single knot st, 1 d c in each of next 4 d c, repeat from * across row ending with single knot st, s c in center s c of next double knot st, single knot st, d c in next d c, 1 d c in 3rd st of ch, turn.

5th Row—Ch 3, * double knot st, 1 d c in each of next 4 d c, repeat from * across row, ending with double knot st, 1 d c in each of next 3 d c, 2 d c in 3rd st of ch, turn.

6th Row—Same as 4th row, but working ch 3, 4 d c at the beginning of row and 1 d c in 3rd st of ch at end of row.

7th Row—Ch 3, * double knot st, 1 d c in each of next 2 d c, 2 d c in next d c, d c in next d c, repeat from * across row ending with double knot st, 1 d c in each of next 2 d c, 2 d c in next d c, d c in next d c, 2 d c in 3rd st of ch.

8th Row—Same as 4th row, but working ch 3, 6 d c at the beginning of row, 5 d c in each d c panel, ending row with d c in 3rd st of ch.

Continued on page 10

The Stole Blouse

The Jabot Blouse

Directions on page 11

and The V-Neck Blouse

Directions on page 7

The basic slipon

Continued from page 2

yarn and work across remaining sts, work both sides at same time. Work even until armhole measures 7¼ (7½, 7¾) inches from 1st decreasing point.

Next 4 Rows—Bind off 12 sts at the beginning of each row.

Next 2 Rows—Bind off 12 (13, 14) sts at the beginning of each row, bind off remaining 16, (17, 18) sts on each side for back of neck.

FRONT: On No. 1 needles cast on 108 (116, 124) sts and work in ribbing for 3 inches, increasing 12 sts evenly spaced on last row of ribbing. Change to No. 2 needles and work as follows:

1st Row: PATTERN: K 43 (47, 51) sts, P 1, * Y O, K 2 tog, K 4, repeat from * 4 times, Y O, K 2 tog, P 1, K 43 (47, 51) sts.

2nd and 4th Rows—P 43 (47, 51) sts, K 1, P 32, K 1, P 43 (47, 51) sts.

3rd Row—K 43 (47, 51) sts, P 1, * K 2 tog, Y O, K 4, repeat from * 4 times, K 2 tog, Y O, P 1, K 43 (47, 51) sts. These 4 rows form the pattern and are worked over the center 34 sts up entire front. Work same as back to underarm. Shape armhole same as back armhole. Work even until armhole measures 5 (5¼, 5½) inches from 1st decreasing point ending on wrong side.

Next Row—Keeping pattern even, work across 41 (42, 43) sts, bind off next 22 (24, 26) sts for neck, work across remaining sts.

Next Row—Work across 41 (42, 43) sts, tie in another ball of yarn and work both sides at same time.

Next Row—Decrease 1 st at neck edge, then decrease 1 st at neck edge every other row until 36 (37, 38) sts remain on each side. Work even until armhole measures same as back armhole. Bind off shoulders same as back shoulders.

SLEEVES: On No. 1 needles cast on 84 (88, 92) sts and work in ribbing for 1½ inches, increasing 12 (14, 16) sts evenly spaced on last row of ribbing, 96 (102, 108) sts. Change to No. 2 needles and work in stockinette st, then increase 1 st on each side every 8th row 3 times, 102 (108, 114) sts. Work even until sleeve measures 5 inches from the beginning.

Next 2 Rows—Bind off 7 (8, 9) sts at the beginning of each row, then decrease 1 st on each side every other row until 50 (52, 54) sts remain on needle, then decrease 1 st on each side every row until 22 (24, 26) sts remain, bind off.

Block each section. Sew seams and sew sleeves in position. Attach yarn at lower edge of back opening, work a row of s c on each side of opening and around neck, working a 4 ch loop for button. Sew button in position.

TRIM: Work same as Woman's Basic Cardigan.

The stole blouse

Continued from page 8

9th Row—Ch 3, skip double knot st, * 1 d c in each of next 2 d c, 2 d c in next d c, 1 d c in each of next 2 d c, double knot st, repeat from * across row ending with 1 d c in each of next 2 d c, 2 d c in next d c, 1 d c in each of next 3 d c, 2 d c in 3rd st of ch.

10th Row—Same as 4th row, but working ch 3, 8 d c at the beginning of row, 6 d c in each d c panel, ending row with 6 d c in last d c panel, turn.

11th Row—Ch 3, skip 1 d c, 1 d c in each of next 4 d c, * double knot st, 1 d c in each of next 3 d c, 2 d c in next d c, 1 d c in each of next 2 d c, repeat from * across row, ending with double knot st, 1 d c in each of next 3 d c, 2 d c in next d c, 1 d c in each of next 4 d c, 2 d c in 3rd st of ch, turn.

12th Row—Same as 4th row, but working ch 3, 10 d c at the beginning of row, 7 d c in each d c panel, ending row with 1 d c in each of next 4 d c, turn.

13th Row—Ch 3, skip 1 d c, 1 d c in each of next 2 d c, * double knot st, 1 d c in each of next 3 d c, 2 d c in next d c, 1 d c in each of next 3 d c, repeat from * across row ending with double knot st, skip next 3 d c, 2 d c in 3rd st of ch (26 knot sts), turn.

14th Row—Same as 4th row, but working ch 3, 1 d c at the beginning of row, 8 d c in each d c panel, ending row with 1 d c in each of the last 3 d c, turn.

15th Row—Ch 3, skip 1 d c, 1 d c in next d c, * double knot st, 1 d c in each of next 4 d c, 2 d c in next d c, 1 d c in each of next 3 d c, repeat from * across row, ending with 1 d c in next d c, 1 d c in 3rd st of ch, turn. Working in pattern continue to increase 1 d c in center of each d c panel every other row, at the same time decreasing 1 st at the beginning of same row and increasing 1 st at the end of same row. Continue to work in this manner until there are 15 (16, 17) d c in each of the d c panels and there are 27 (29, 31) rows.

Next 2 Rows—Work even in pattern omitting the increases in each of the 15 (16, 17) d c panels, but continue to decrease and increase in the 2 end panels, cut yarn leaving an end. Thread into needle and sew last 2 sts made over the first 2 sts of row, overlapping sts when sewing, there should be 15 (16, 17) sts in the connected panel, this is right side of work.

Next Round: With right side of work toward you, attach yarn in the 9th (10th, 11th) d c of the 7th panel after the panel that opening was connected. From here on this will be start of each round, ch 3, 1 d c in each of next 6 (6, 7) d c of same panel, * single knot st, s c in center s c of next double knot st, single knot st, 1 d c in each of next 15 (16, 17) d c, repeat from * 4 times, single knot st, s c in next double knot st, single knot st, 1 d c in each of next 7 (7, 8) d c, ch 4, skip next 8 (9, 9) d c of same panel, next 6 double knot sts, d c in 8th (8th, 9th) d c of next panel, 1 d c in each of next 7 (8, 8) d c of same panel, * single knot st, s c in center s c of next double knot st, single knot st, 1 d c in each of next 15 (16, 17) d c, repeat from * 5 times, single knot st, s c in center s c of next double knot st, single knot st, 1 d c in each of next 8 (9, 9) d c of next panel, ch 4, join in 3rd st of ch, do not turn this or the following rounds.

Next Round—Ch 3, 1 d c in each of next 6 (6, 7) d c, * double knot st, 1 d c in each of next 15 (16, 17) d c, repeat from * 4 times, double knot st, 1 d c in each of next 7 (7, 8) d c, 1 d c in each of the 4 sts of ch, 1 d c in each of next 8 (9, 9) d c, finish round to correspond, join.

Next 5 Rounds: Work even in pattern having 15 (16, 17) d c in each d c panel and 19 (20, 21) d c in each underarm panel.

Next Round: Work in pattern, decreasing 1 st in center of each d c panel, 14 (15, 16) d c in each panel, 18 (19, 20) in each under arm panel. Work 1 round even.

Next Round: Work in pattern, decreasing 1 st in center of each d c panel. Work 2 rounds even. Continue in the above manner decreasing 1 st in center of each d c panel every 3rd round until there are 8 (9, 10) d c in each panel and 12 (13, 14) d c in each underarm panel. Work even in pattern for 8 (10, 12) rounds or length desired, cut yarn.

FINISHING: With right side toward you, attach yarn at underarm and work 1 d c in each of 4 sts of ch, 3 d c over end st of next row, work even in pattern across sleeve cap, 3 d c over end st of next row, join in 1st d c, cut yarn. Work other sleeve in same manner. With right side toward you, attach yarn at lower edge of center opening and work 60 (64, 68) s c up right side, 3 s c in corner st, 1 s c in each st of ch around neck line, 3 s c in corner st, 60 (64, 68) s c down left side, join, do not turn.

Next Row—1 s c in each of next 4 s c, * ch 4, skip 3 s c, 1 s c in each of next 7 (8, 9) s c, repeat from * 4 times, ch 4, skip 3 s c, 1 s c in next s c (6 buttonholes), continue working in s c around neck and left front, working 3 s c in center st at each corner, join. Working up right front only, work 1 s c in each s c and 1 s c in each st of the ch 4 for buttonholes, cut yarn. Attach yarn at lower edge

of left side and work 2 rows of s c over 60 (64, 68) sts, cut yarn. Sew buttons in position.

STOLE: Ch 61 (64, 67), s c in 2nd st from hook, 1 s c in each remaining st of ch, turn.

Next Row—* Work a double knot st (drawing loops up ½ inch only), skip 2 s c, s c in next s c, repeat from * across row, 20 (21, 22) knot sts, turn.

Next Row—Work 3 single knot sts, s c in center s c of next double knot st, * double knot st, s c in center s c of next double knot st, repeat from * across row. Repeat last row until work measures 5 inches from the beginning. Continue in the above manner but drawing loops up ¾ inch for remainder of stole. Work even until stole measures 46 (48, 50) inches from the beginning, cut yarn. Attach yarn in first st of starting ch, 1 s c in same space, * ch 4, skip 3 sts, 1 s c in each of next 8 (8, 9) sts, repeat from * 4 times, ch 4, skip 3 sts, 1 s c in each remaining st, ch 1, turn.

Next Row—1 s c in each s c and 1 s c in each st of ch of buttonholes. Without cutting yarn and working across long edge, 1 s c in end st of each s c row, single knot st, s c in center s c of next double knot st, * double knot st, s c in center s c of next double knot st, repeat from * across side and lower end, working opposite side to correspond, cut yarn.

The green jabot blouse

Pictured on page 9

Sizes 12 - 14 - 16

Materials Required: AMERICAN THREAD COMPANY "DAWN" NYLON or NYLON POMPADOUR
or
"CLOVER LEAF" NYLON or NYLON POMPADOUR
or
"DAWN" MEDIUM WEIGHT POMPADOUR

Size 12—9 ozs. Green or Baby Green
Size 14—10 ozs.
Size 16—11 ozs.

11 Buttons
1 pr. each knitting needles No. 2 and No. 3
Steel crochet hook No. 4

Measurements:	**Sizes 12**	**14**	**16**
Width across back and front at underarm	**15"**	**16"**	**17"**
Sleeve Seam	**11"**	**11¼"**	**11½"**
Side Seam	**12¾"**	**13"**	**13¼"**

Gauge: 15 sts = 2 inches.

Directions are given for size 12. Sizes 14 and 16 are given in brackets.

BACK: On No. 2 needles, cast on 94 (102, 110) sts and work in ribbing of K 1, P 1 for 3¾ (3¾, 3¾) inches. Change to No. 3 needles and work in stockinette st (K 1 row, P 1 row) increasing 1 st on each side every 6th row until there are 124 (132, 140) sts on needle. Work even until back measures 12¾ (13, 13¼) inches from the beginning ending with a P row.

Next 2 Rows—Bind off 7 (7, 7) sts at the beginning of each row.

Next 2 Rows—Bind off 3 (3, 3) sts at the beginning of each row, then decrease 1 st on each side every row until 94 (102, 110) sts remain. Work even until armhole measures 5 (5¼, 5½) inches from 1st decreasing point, ending with a P row.

Next Row—Divide sts for back opening, work across 47 (51, 55) sts, place remaining sts on a holder for left side of back. Work even until armhole measures 7 (7¼, 7½) inches from 1st decreasing point ending at armhole edge.

Next Row—Bind off 8 (8, 9) sts at the beginning of row. Work 1 row even. Repeat last 2 rows once.

Next Row—Bind off 8 (9, 9) sts at beginning of row. Work 1 row even. Repeat last 2 rows once.
Bind off remaining 15 (17, 19) sts for back of neck.

LEFT SIDE: Cast on 5 sts for underlap, slip and K 47 (51, 55) sts from holder 52 (56, 60) sts.

Next Row—P across 47 (51, 55) sts, work in ribbing of K 1, P 1 over next 5 sts. Work even in stockinette st over the 47 (51, 55) sts and ribbing over the 5 sts of underlap. Work even until armhole measures 7 (7¼, 7½) inches from 1st decreasing point, ending at armhole edge. Bind off shoulder same as right shoulder.

FRONT: On No. 2 needles, cast on 94 (102, 110) sts and work in ribbing for 3¾ (3¾, 3¾) inches.

Next Row—K across 43 (47, 51) sts, slip next 8 sts on a holder for button band, cast on 8 sts, K across remaining 43 (47, 51) sts. Change to No. 3 needles and work same as back to underarm. Decrease armhole same as back armhole. Work even until armhole measures 4¾ (5, 5½) inches from 1st decreasing point ending with a P row.

Next Row—K across 47 (51, 55) sts place remaining 47 (51, 55) sts on a holder for right side.

Next Row—Bind off 5 (5, 5) sts at the beginning of row for neck edge, then bind off 4 (4, 4) sts at neck edge every other row 2 (2, 3) times, then decrease 1 st at neck edge every other row until 32 (34, 36) sts remain. Work even until armhole measures same as back armhole. Bind off shoulder same as back shoulder. Slip the 47 (51, 55) sts from holder and work right side in same manner reversing the decreasing and shaping.

SLEEVES: On No. 2 needles cast on 72 (76, 80) sts and work in ribbing for 2 (2, 2) inches, increasing 10 sts evenly spaced on last row of ribbing, 82 (86, 90) sts. Change to No. 3 needles and work in stockinette st increasing 1 st on each side every 6th row until there are 102, (106, 110) sts on needle. Work even until sleeve measures 11 (11¼, 11½) inches from beginning ending with a P row.

Next 2 Rows—Bind off 7 (7, 7) sts at the beginning of each row, then decrease 1 st at the end of every row until 52 (56, 60) sts remain. Then decrease 1 st on each side every row until 20 (22, 24) sts remain, bind off.

COLLAR: On No. 2 needles cast on 26 sts and work in ribbing for 7 inches, bind off.
Work another section in same manner.

BUTTON BAND: Slip the 8 sts from holder on No. 2 needles and work in ribbing until band is same length as front to neck line, bind off.

FRONT LACE FRILL: On No. 3 needles cast on 144 (144, 144) sts loosely and work as follows:
1st Row—K 2 tog, 3 times, K 1, Y O, 6 times, * K 2 tog, 6 times, K 1, Y O, 6 times, repeat from * across row, ending with K 2 tog, 3 times.
2nd Row—P across row.
3rd and 4th Rows—K across each row. Repeat these 4 rows twice. Bind off by knitting 2 tog.
Work another section in same manner.

CUFF FRILL: Cast on 108 sts and work same as front frill. Work another section in same manner.
With wrong side of back toward you, attach yarn at lower edge of back opening on right side and work 21 s c to neck edge, ch 1, turn.

Next Row—1 s c in each of 1st 2 s c, * ch 2, skip 2 s c, 1 s c in each of the next 3 s c, repeat from * twice, ch 2, skip 2 s c, 1 s c in each of next 2 s c (4 button loops), cut yarn.

FINISHING: Block each section. Sew seams and sew sleeves in position easing in any fullness. Gather the front frill to required length. Sew to the 3rd row from center st of front. Gather other section and sew to 3rd row from center st on opposite side. Attach front band over edges of lace frills by sewing 7 buttons in position as illustrated. Sew buttons in position on back opening. Sew 2 sections of collar to neck edge having the 2 ends meet at center of neck in front and back. Gather cuff frills and sew to each cuff edge.

The Bolero

Medium Size

Materials Required: AMERICAN THREAD COMPANY "DAWN" SOCK AND SWEATER YARN

or

"DAWN" BRAEBURN SPORT YARN

or

"DAWN" or "CLOVER LEAF" NYLON

6 ozs. Gray or color desired and

1 oz. Buttercup, Article 700 for trim

64 large Sequins

64 small Beads

1 pr. knitting needles No. 2

Plastic crochet hook No. 2

Gauge: 8 sts = 1 inch.

Entire bolero is worked in garter st (K each row), 2 rows form a ridge.

BACK: Starting at lower edge, cast on 110 sts and work in garter st for 1½ inches.

Next Row—Increase 1 st at the beginning and end of row. Then work even in garter st increasing 1 st on each side every 1½ inches until there are 118 sts on needle.

Work even until back measures 8 inches from the beginning.

Next 2 Rows—Bind off 6 sts at the beginning of each row, then decrease 1 st on each side every other row until 100 sts remain. Work even until armhole measures 7½ inches (50 ridges) from 1st decreasing point.

(Continued page 14)

The Turtle Necks

Directions on pages 14 & 15

The bolero

Continued from page 12

Next Row—K across 32 sts and place on a holder for right front. Bind off next 36 sts for back of neck. On the remaining 32 sts of left front work as follows:

1st Row—Starting at neck edge K across 11 sts, turn.

2nd Row—Y O, K across 11 sts, turn.

3rd Row—K across 11 sts, K the Y O of previous row and next st tog, K across next 10 sts, turn.

4th Row—Y O, K across 22 sts, turn.

5th Row—K across 22 sts, K the Y O and next st tog, K to end of row.

6th Row—K across row ending at neck edge. These 6 rows are repeated for entire front. There are 3 sections, 11 sts in 1st section at center front, 11 sts in 2nd section and 10 sts in 3rd section at armhole edge. Repeat last 6 rows twice.

19th Row—Beginning of 10th ridge—K 1, K and increase in next st, K across next 9 sts, turn.

20th Row—Y O, K across 12 sts, turn.

21st Row—K across 12 sts, K the Y O and next st tog, K and increase in next st, K across next 9 sts, turn.

22nd Row—Y O, K across 24 sts, turn.

23rd Row—K across 24 sts, K the Y O and next st tog, K and increase in next st, K across 8 sts, turn.

24th Row—K across row ending at center front (35 sts). There are 12 sts in 1st and 2nd section and 11 sts in 3rd section at armhole edge. Continue in the above manner increasing 1 st at the beginning of every 10th ridge (4th pattern) of 1st section, and 1 st in 2nd st of the 2nd and 3rd sections, until there are 18 sts in each of first 2 sections and 17 sts in 3rd section (53 sts). Discontinue the increases and work even in pattern until there are 50 ridges in 3rd section for armhole, bind off.

RIGHT FRONT: Slip the 32 sts from holder, attach Gray at neck edge and work to correspond with left front.

EDGE: With right side toward you attach Gray at neck edge, working down front, * yarn over hook, insert hook in end st of next ridge, pull loop through, yarn over hook, insert in end st of next ridge, pull loop through, yarn over hook and pull through all 5 loops at one time, ch 1, repeat from * down front, across lower edge, up opposite front and around neck line, fasten in first st, cut yarn. Attach Buttercup in ch 1 loop, slip st in same space, * ch 1, slip st in next ch 1 loop, repeat from * all around ending with ch 1, join in slip st, cut yarn. Work same edge around each armhole. Sew Sequins in position as illustrated, fastening each sequin with a bead.

Men's Fair Isle Slipon

Continued from page 6

Next Row—Work in pattern across 50 (54, 58) sts, tie in another ball of yarn and work both sides at same time.

Next Row—Decrease 1 st at neck edge, then decrease 1 st at neck edge every 4th row 19 (20, 21) times. Work even in pattern until armhole measures same as back armhole. Bind off shoulders same as back shoulders.

Back Neck Band: With Black on No. 1 needles pick up 40 (42, 44) sts and work in ribbing for ¾ inch, bind off.

Left Front Neck Band: With Black starting at shoulder on No. 1 needles pick up 90 (94, 98) sts, work in ribbing for ¾ inch, decreasing 1 st at center front every row, bind off.

Right Front Neck Band: Starting at center front, pick up 90 (94, 98) sts and work same as left front. Sew shoulder seams. Sew ribbing at center front.

Armhole Ribbing: With Black on No. 1 needles pick up 190 (194, 198) sts and work in ribbing for ¾ inch, bind off.

The yellow turtleneck

Pictured on page 13

Size 12 to 14

Materials Required: AMERICAN THREAD COMPANY "DAWN" NYLON or NYLON POMPADOUR
or
"CLOVER LEAF" NYLON or NYLON POMPADOUR
or
"DAWN" SOCK and SWEATER YARN
9 ozs. Buttercup or color desired
1 pr. each knitting needles No. 2 and No. 3
Plastic crochet hook No. 2
1 yd. Lastex
3 Buttons
Gauge: 8 sts = 1 inch.

BACK: On No. 3 needles cast on 120 sts and work in stockinette st (K 1 row, P 1 row). Work even for ½ inch ending with a P row.

Next Row—Decrease 1 st on each side, then decrease 1 st on each side every 6th row until 108 sts remain ending with a P row.

Next Row—Increase 1 st on each side, then increase 1 st on each side every 8th row 13 times more (136 sts). Work even until back measures 13 inches from the beginning.

Next 2 Rows—Bind off 5 sts at the beginning of each row.

Next 4 Rows—Bind off 2 sts at the beginning of each row, then decrease 1 st at the beginning of each row until 104 sts remain. Work even until armhole measures 4½ inches from 1st decreasing point ending with a P row.

Next Row: Shape Neck Line—K across 42 sts and place on a holder for right side, K next 20 sts and place on another holder for back of neck, K across remaining 42 sts. P 1 row.

Next Row—Bind off 2 sts at neck edge, then bind off 2 sts at neck edge every other row 3 times more, then decrease 1 st at neck edge every other row until 27 sts remain. Work even until armhole measures 7½ inches from 1st decreasing point ending with a K row.

Next 6 Rows—Bind off 9 sts at the beginning of every other row at armhole edge. Slip 42 sts from holder, attach yarn and work other side to correspond reversing the shaping.

PATTERN FOR FRONT

1st Row—Skip the first st, K into back of second st on left hand needle and leave st on needle, slip the first st, then slip skipped st off needle, K 8, place next st on double pointed needle and place in back of work, slip next st, then K st from double pointed needle.

2nd and all even Rows—P across.

3rd Row—K 1, skip next st, K into back of next st and leave on needle, slip the skipped st, then slip skipped st off needle, K 6, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 1.

5th Row—K 2, skip next st, K into back of next st and leave on needle, slip the skipped st, then slip skipped st off needle, K 4, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 2.

7th Row—K 3, skip next st, K into back of next st and leave on needle, slip the skipped st, then slip skipped st off needle, K 2, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 3.
9th Row—K 4, skip next st, K into back of next st and leave on needle, slip the skipped st, then slip skipped st off needle, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 4.
11th Row—K 5, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 5 (slip sts have been crossed on this row).
13th Row—K 4, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, skip next st, K into back of next st and leave on needle, slip the skipped st, then slip skipped st off needle, K 4.
15th Row—K 3, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 2, skip next st, K into back of next st and leave st on needle, slip the skipped st, then slip skipped st off needle, K 3.
17th Row—K 2, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 4, skip next st, K into back of next st and leave on needle, slip the skipped st, then slip skipped st off needle, K 2.
19th Row—K 1, place next st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 6, skip next st, K into back of next st and leave st on needle, slip the skipped st, then slip skipped st off needle, K 1.
21st Row—Place first st on d.p. needle and place in back of work, slip next st, then K st from d.p. needle, K 8, skip next st, K into back of next st and leave on needle, slip the skipped st, then slip skipped st off needle.
22nd Row—Same as 2nd row.
These 22 rows are repeated for pattern.
FRONT: On No. 3 needles, cast on 120 sts, P 10, * work in pattern over next 12 sts, P 10, repeat from * across row 4 times more.
Next Row—K 10, * P 12, K 10, repeat from * 4 times more. Continue in the above manner having only 5 pattern panels up entire front. Work same as back to underarm. Shape armhole same as back armhole. Work even until armhole measures 4½ inches from 1st decreasing point. Shape neck line same as on back. When armhole measures 7½ inches from 1st decreasing point, bind off shoulders same as back shoulders.
SLEEVES: On No. 3 needles, cast on 76 sts and work in pattern same as on front, having only 3 pattern panels on each sleeve. Work even increasing 1 st on each side every row until there are 100 sts on needle and sleeve measures 3 inches from beginning.
Next 2 Rows—Bind off 5 sts at the beginning of each row.
Next 2 Rows—Bind off 2 sts at the begining of each row, then decrease 1 st at the beginning of each row until 40 sts remain.
Next 6 Rows—Bind off 2 sts at beginning of each row, bind off remaining 28 sts.
FINISHING: Sew seams. Sew sleeves in position. Draw Lastex through waist line.
NECK BAND: With right side of work toward you and No. 2 needles, slip and K 10 sts from holder at left half of back, pick up and K 20 sts across back neck edge, pick up and K 30 sts across left side of neck edge, sl and K 20 sts from holder, pick up and K 30 sts across right side of neck edge, pick up and K 20 sts across back neck edge, slip and K 10 remaining sts from holder (140 sts on needle). Work in ribbing of K 1, P 1 for 3 inches, bind off. Work a row of s c across back opening working 3-4 ch loops evenly spaced on right side for buttons. Sew buttons in position. Work a row of s c around lower edge of blouse and sleeves.

The Lavender V-Neck

Continued from page 7

(21, 21) sts from holder of left front. Work 8 rows in stockinette st, continuing to sl the center st of each front band, ending with a K row. K 1 row.
Next 2 Rows—Working in stockinette st, bind off 11 sts at the beginning of each row. Work 7 rows even, bind off. Fold collar on the K row and sew to neck edge. Fold front bands along the sl st line to inner side and sew in position.
EDGE: With right side of work toward you, attach Black in 1st slip st at lower edge of right front, s c in same space, * ch 3, 1 s c in 2nd st from hook, 1 s c in next st of ch, skip 2 sl sts, s c in next sl st, repeat from * up front, across collar and down left front, cut yarn. Work same edge around each cuff and each pocket band.
BUTTON LOOPS: With Black, ch 10, cut yarn. Work 9 more loops in same manner. Sew 5 loops on each side at lower edge having loops about 1½ inches apart. Sew buttons in position on each side about ½ inch in from loops. Interlace loops to button.

Men's Turtleneck Sweater

Pictured on page 13

Sizes 36 - 38 - 40 - 42 - 44
Materials Required: AMERICAN THREAD COMPANY "DAWN" KNITTING WORSTED
Size 36—20 ozs. Beige or color desired
Size 38—23 ozs.
Size 40—26 ozs.
Size 42—29 ozs.
Size 44—32 ozs.
1 pr. each knitting needles No. 3 and No. 5
1 set double pointed needles No. 5
Gauge: 5½ sts = 1 inch.
Directions are given for size 36. Sizes 38, 40, 42 and 44 are given in brackets.
BACK: On No. 3 needles cast on 100 (106, 112, 118, 124) sts and work in ribbing of K 2, P 2 for 3½ inches. Change to No. 5 needles and work in stockinette st (K 1 row, P 1 row) until back measures 15 (15½, 16, 16½, 17) inches from the beginning.
Next 2 Rows—Bind off 6 sts at the beginning of each row, then decrease 1 st on each side every other row until 78 (84, 90, 96, 102) sts remain on needle. Work even until armhole measures 8½ (8¾, 9, 9¼, 9½) inches from 1st decreasing point.
Next 4 Rows—Bind off 13 (14, 15, 16, 17) sts at the beginning of each row for shoulders. Place remaining 26 (28, 30, 32, 34) sts on a holder for back of neck.
FRONT: On No. 3 needles cast on 100 (106, 112, 118, 124) sts and work same as back to underarm. Shape armhole same as back armhole.
Work even until armhole measures 6½ (6¾, 7, 7¼, 7½) inches from 1st decreasing point ending on right side of work.
Next Row—Work across 32 (34, 36, 38, 40) sts, place next 14 (16, 18, 20, 22) sts on a holder for front neck line, tie in another ball of yarn and working both sides at same time, work across remaining 32 (34, 36, 38, 40) sts. Then bind off 2 sts at neck edge every other row until 26 (28, 30, 32, 34) sts remain on each side. Work even until armhole measures same as back armhole. Bind off shoulders same as back shoulders.
SLEEVES: On No. 3 needles cast on 52 (56, 60, 64, 68) sts and work in ribbing for 3½ inches. Change to No. 5 needles and work in stockinette st increasing 1 st on each side every ¾ inch until there are 82 (86, 90, 94, 98) sts on needle. Work even until sleeve measures 19 (20, 21, 22, 23) inches from the beginning.
Next 2 Rows—Bind off 6 sts at the beginning of each row, then decrease 1 st on each side every other row until 42 (46, 50, 54, 58) sts remain on needle.
Next 8 Rows—Bind off 2 sts at the beginning of each row. Bind off remaining 26 (30, 34, 38, 42) sts.
Block each section. Sew seams and sew sleeves in position.
NECK BAND: On double pointed needles, slip and K 26 (28, 30, 32, 34) sts from holder at back of neck, pick up and K 30 sts on left side of neck, slip and K 14 (16, 18, 20, 22) sts from holder at front of neck, pick up and K 30 sts on right side of neck, 100 (104, 108, 112, 116) sts. Work in ribbing of K 2, P 2 for 7 inches. Bind off loosely in ribbing.

STAR SWEATER BOOK No. 92

PRICE 10 CENTS

Sweaters of NYLON or WOOL